The Problem


• The swamps
south of
Lake Maurepas
are dying.



- 80% of the canopy is comprised of Tupelo trees which are showing extreme stress.
- 50% of the swamp or 69,450 acres will be lost in 60 years.
- Most of the dying swamp will convert to open water over time.

Causes

- Subsidence: 1-2 feet per century
- Permanent flooding
- Sediment and nutrient starvation
- Saltwater intrusion (salinity)
- Drought conditions




- The Mississippi River flood control levees have cut off most of the freshwater, sediment & nutrient input.
- Tupelo trees are sensitive to salinity as low as 2 parts per thousand (ppt).

CWPPRA Actions – PPL9

 Both the Coast 2050 planning effort & the MRSNFR study identified diversions as the recommended strategy for addressing the problems in this area.

Project selected as CWPPRA

 Priority Project List (PPL) 9
 "Complex Project"



Objectives

- Incorporate public input
- Gather data




- Evaluate & recommend a project to divert freshwater into the south Maurepas swamps
- Without causing flooding or impairing drainage


Project Tasks & Results

Project Work Activities

- Project Scoping & Coordination
- Preliminary Siting



DataGathering



- Hydrologic Modeling
- Project Evaluation,
 Preliminary Design, & Cost
- Report


Environmental data shows:

- Soils poor for productivity
- Salinities get very high.
- Most of the swamp has low basal area, a measure of how many trees there are & how big they are.
- Cypress grew more than other trees, & most of the growth is in leaves & twigs rather than growing tree trunks.
- There are more tupelo trees than cypress trees.
- The drought had a negative effect on growth of vegetation.



Environmental data shows:

- Sites where tree trunks grew most also had the lowest salinities
- Saltwater is killing trees along the lake, while flooding with poor quality water is killing trees in the swamp interior




 Additional nutrients could increase plant growth on the swamp floor by one-third, & could double growth of cypress seedlings.

Hydrologic modeling shows:

 Hope Canal will be improved to facilitate diversion, including construction of "guide" levees to move water north of I10 & ensure diverted water doesn't flow to developed areas

Diversion passes
 through swamp &
 ends up in
 bayous &
 canals draining
 to Lake Maurepas




Hydrologic modeling shows:

Proposed channel size is:


110 ft. top width,50 ft. bottom width,10 ft. depth

Additional channel
 capacity
 required for
 diversion, could
 be used for
 drainage when
 diversion is off.




Hydrologic modeling shows:

1,500 cfs of water can pass under the I10 bridge



There are enough breaks in the levees along
 Hope Canal north of I10, & along other canals,
 bayous, & old railroad grades, that water will
 leave Hope Canal north of I10 & disperse
 throughout the swamp.

Hydrologic modeling show



Boundaries:

from Blind River &
the Amite River Diversion Channel
on the West & North,
to Reserve Relief Canal on the East.

Hydrologic modeling shows:


 A 1,500 cfs diversion would result in 1 ft. of water in the swamps near I10 & 6 inches of water in the swamps near the Blind River & Reserve Relief Canal

Alternatives analysis:



- Upper Blind River not best alternative river would carry so much water that little
 would reach the swamp.
- Hope Canal is best alternative based on potential to benefit swamps, ability to get water into swamps & reduced impacts to public & infrastructure.

The Report



http://www.epa.gov/earth1r6/6wq/ecopro/em/cwppra/index.htm http://www.savelawetlands.org/site/projects/po29/po29.html

